


Patons
Book 2139
ZEST 8PLY
Price code J
10 STYLES
SIZES: 6 - 24
Zest at Sunrise

6. Pretty singlet top with lace shoulder straps and crochet picot trim.
SIZES: 8 - 16




7. Vee neck tunic sweater with front and neckline lace detail and rolled hem and cuff trims.
SIZES: 6 - 24






8. Easy boatneck tabard top in flattering ribby lace stitch with regular or tunic length and side seam finishing options.
SIZES: 8 - 16



9. Easy halter neck top worked in one piece with tie trims at neck and waist.
SIZES: 6 - 14







10. Fun stripe sweater with crew or vee neckline options, shown here in bright and pastel colour combinations.
SIZES: 6 - 24



1. Crew neck raglan sweater with cable and eyelet detail. SIZES: 6 - 20

2. Crew neck aran sweater with set in sleeves. SIZES: 6 - 20



3. Wide crew neck lace sweater with optional stripe colour mixing (as shown at right), regular or tunic lengths and 3/4 or long sleeve options.
SIZES: 6 - 24

4. Crew neck cardigan in longer length with stripe detail, worn over co-ordinating sweater.
SIZES: 6 - 20

5. Stripe sweater with sleeveless, short, or long sleeve length options.
SIZES: 6 - 20



5.



Patons

ZEST AT SUNRISE

STYLE	DESCRIPTION		INSTRUCTIONS
1.	**Crew Neck Raglan Sweater**	*(shown on page 2)*	p.7
2.	**Crew Neck Aran Sweater**	*(shown on page 2)*	p.9
3.	**Crew Neck Lace Sweater With Options**	*(shown on page 3)*	p.11
4.	**Crew Neck Cardigan With Stripe Detail**	*(shown on page 4)*	p.13
5.	**Stripe Sweater With Sleeve Options**	*(shown on page 4)*	p.15
6.	**Top With Lace Straps & Crochet Trim**	*(shown on page 29)*	p.17
7.	**Vee Neck Tunic With Front Lace Detail**	*(shown on page 29)*	p.18
8.	**Boat Neck Tabbards With Length Options**	*(shown on page 30)*	p.21
9.	**Easy Halter Top With Tie Trims**	*(shown on page 30)*	p.22
10.	**Stripe Sweaters With Neck Options**	*(shown on page 31)*	p.24

PATONS YARN OPTIONS:

The yarn used for garments photographed is specified in the instructions. If desired, the following yarns from the ***PATONS*** *range can be substituted with confidence. Be sure to check your tension carefully before beginning.*

YARN	BALLS REQUIRED (approx)									
Zest 8 ply (50g balls)	3	4	5	6	7	8	9	10	11	12
Totem 8 ply (50g balls)	3	4	5	6	7	8	9	10	11	12
Fireside 8 ply (50g balls)	4	5	6	7	8	9	10	11	12	13
New Caressa 8 ply (50g balls)	3	4	4	5	6	7	8	8	9	10
Tasman/Courtelle 8 ply (100g balls)	1	2	2	2	3	3	3	4	4	4

HELPFUL HINTS

	DESCRIPTION	INSTRUCTIONS
1.	Ensuring a Perfect Fit	p. 8
2.	Back Stitch Seam	p. 12
3.	Neatening of Buttonholes	p. 14
4.	Variations in Yarn Quantities	p. 16
5.	Knitting Up Stitches	p. 19
6.	Casting on for K1, P1 Rib	p. 20
7.	To Make a Twisted Cord	p. 23
8.	Flat Seam	p. 23
9.	Finishing Your Garment	p. 26
10.	Patons Handknit Ratings	p. 27
11.	Measurements	p. 27
12.	Knitting and Crochet Abbreviations	p. 28
13.	Joining in Yarn	p. 28

1. CREW NECK RAGLAN SWEATER. ▲▲▲

MEASUREMENTS		This garment is designed to be a loose fit.			
Size		**6-8**	**10-12**	**14-16**	**18-20**
Fits bust	cm	70-75	80-85	90-95	100-105
	ins	28-30	32-34	36-38	40-42
Garment measures (approx)	**cm**	**90**	**100**	**110**	**115**
Length (approx)	cm	67	68	69	70
Sleeve fits	cm	43	43	43	43

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls				
Quantity	15	16	17	18

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 3.25mm (No 10) and 4.00mm (No 8) Knitting Needles or sizes needed to give correct tension. A Cable Needle; 4 Stitch Holders.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28. **C9F**=slip next 3 sts onto cable needle and leave at front of work, K3, then K3 from cable needle, then K3; **C9B**=K3, slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle.

BACK AND FRONT (both alike)

Using 3.25mm Needles, cast on 103 (**113**-125-**131**) sts.
1st row - K2, * P1, K1, rep from * to last st, K1.
2nd row - K1, * P1, K1, rep from * to end.
Rep 1st and 2nd rows 7 times, then 1st row once.
18th row - Rib 6 (**4**-4-**10**), * inc in next st, rib 7 (**8**-9-**9**), rep from * to last st, rib 1 ... 115 (**125**-137-**143**) sts.
Change to 4.00mm Needles and **beg patt**.
1st row - K50 (**55**-61-**64**), P3, K9, P3, K50 (**55**-61-**64**).
2nd and alt rows - Knit all knit sts and purl all purl sts as they appear.
3rd row - K50 (**55**-61-**64**), P3, **C9F**, P3, K50 (**55**-61-**64**).
5th row - As 1st row.
7th row - K50 (**55**-61-**64**), P3, **C9B**, P3, K50 (**55**-61-**64**).
8th row - As 2nd row.
Rows 1 to 8 incl form patt.
Cont in patt until work measures 36 cm from beg, working last row on wrong side.
Cast on 19 sts at beg of next 2 rows for patt panels ... 153 (**163**-175-**181**) sts.
SHAPE RAGLAN ARMHOLES - Beg raglan patt panels - 1st row - K2, yfwd, K2tog, P3, K9, P3, (ybk, sl 1, K1, psso for raglan dec), patt to last 21 sts, (K2tog for raglan dec), P3, K9, P3, ybk, sl 1, K1, psso, yfwd, K2.
2nd row - P4, K3, P9, K3, (P2tog for raglan dec), patt to last 21 sts, (P2tog tbl for raglan dec), K3, P9, K3, P4.
3rd row - K2, yfwd, K2tog, P3, **C9F**, P3, ybk, sl 1, K1, psso, patt to last 21 sts, K2tog, P3, **C9F**, P3, ybk, sl 1, K1, psso, yfwd, K2.
4th row - P4, K3, P9, K3, patt to last 19 sts, K3, P9, K3, P4.
5th row - As 1st row.
6th row - As 2nd row.
7th row - K2, yfwd, K2tog, P3, **C9B**, P3, ybk, sl 1, K1, psso, patt to last 21 sts, K2tog, P3, **C9B**, P3, ybk, sl 1, K1, psso, yfwd, K2.
8th row - As 4th row.

Rows 1 to 8 incl form raglan patt.
Rep rows 1 to 8 incl 2 (**4**-6-**7**) times, then rows 1 to 4 incl once ... 111 (**97**-85-**79**) sts.
Keeping patt correct, dec (as before) at each end of next and alt rows until 55 sts rem.
Work 1 row patt.
Leave rem sts on a stitch-holder.

SLEEVES

Using 3.25mm Needles, cast on 49 (**51**-51-**53**) sts.
Work 15 rows rib as for Back and Front.
16th row - Rib 0 (**2**-2-**4**), * inc in next st, rib 3, rep from * to last st, rib 1 ... 61 (**63**-63-**65**) sts.
Change to 4.00mm Needles and **beg patt**.
1st row - K23 (**24**-24-**25**), P3, K9, P3, K23 (**24**-24-**25**).
2nd and alt rows - Knit all knit sts and purl all purl sts as they appear.
3rd row - K23 (**24**-24-**25**), P3, **C9F**, P3, K23 (**24**-24-**25**).
5th row - Inc in first st, K22 (**23**-23-**24**), P3, K9, P3, K22 (**23**-23-**24**), inc in last st.
7th row - K24 (**25**-25-**26**), P3, **C9B**, P3, K24 (**25**-25-**26**).
8th row - As 2nd row.
Keeping patt correct (8 rows form patt rep) and working extra sts into stocking st, inc (as before) at each end of next and foll 4th rows until there are 101 (**99**-93-**89**) sts, then in alt rows until there are 121 (**127**-133-**141**) sts.
Work 1 row.

SHAPE RAGLAN - Beg raglan eyelet patt panels - Keeping centre patt panel correct, **1st row** - K1, sl 1, K1, psso, yfwd, (sl 1, K1, psso for raglan dec), patt to last 5 sts, (K2tog for raglan dec), yfwd, K2tog, K1.
2nd row - P3, (P2tog for raglan dec), patt to last 5 sts, (P2tog tbl for raglan dec), P3.
Last 2 rows form raglan eyelet patt panels.
3rd row - As 1st row.
Work 1 row patt.
Rep last 4 rows 5 (**7**-8-**11**) times ... 85 (**79**-79-**61**) sts.
Keeping patt panels correct, dec (as before) at each end of next and alt rows until 23 sts rem.
Work 1 row patt.
Leave rem sts on a stitch-holder.

NECKBAND

Using back-stitch, join raglan seams, leaving left back raglan open and noting that tops of sleeves form part of neckline. With right side facing and using 3.25mm Needles, knit across 156 sts from stitch-holders.
1st row - * K1, P1, rep from * to end.
Rep 1st row 14 times.
Cast off loosely in rib.

MAKE UP

DO NOT PRESS. Using back-stitch, join left back raglan, side and sleeve seams. Fold neckband in half onto wrong side and slip-stitch in position.


ENSURING A PERFECT FIT -

As we can vary in size, we suggest
you measure the following points to ensure a great fit -

A) Chest circumference at underarm.

B) Length of body from shoulder to desired hem length.

C) Length of arm - underarm to wrist.



2. CREW NECK ARAN SWEATER.

MEASUREMENTS		This garment is designed to be an easy fit.			
Size		**6-8**	**10-12**	**14-16**	**18-20**
Fits bust	cm	70-75	80-85	90-95	100-105
	ins	28-30	32-34	36-38	40-42
Garment measures (approx)	**cm**	**85**	**95**	**105**	**115**
Length	cm	67	68	69	70
Sleeve fits	cm	43	43	43	43

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls				
Quantity	14	15	16	17

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. A Cable Needle; 2 Stitch Holders.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28. **TW2**=knit into back of 2nd st on left hand needle (taking needle behind first st), then into front of first st, slipping both sts off needle tog; **Bobble**=(K1, P1, K1) into next st; **C4F**=slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle; **C4B**=slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle; **C3RK**=slip next st onto cable needle and leave at back of work, K2, then K1 from cable needle; **C3LP**=slip next 2 sts onto cable needle and leave at front of work, P1, then K2 from cable needle; **C3RP**=slip next st onto cable needle and leave at back of work, K2, then P1 from cable needle.

BACK

Using 3.25mm Needles, cast on 97 (**109**-121-**131**) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 8 times, then 1st row once.

20th row - Rib 6 (**15**-8-**14**), * inc in next st, rib 2 (**2**-3-**3**), rep from * to last 4 (**13**-5-**9**) sts, rib 4 (**13**-5-**9**) ... 126 (**136**-148-**158**) sts.

Change to 4.00mm Needles and **beg patt**.

1st row - P5 (**10**-16-**21**), * (**TW2**, P2, K8, P2) twice, **TW2** *, P16, **TW2**, P8, K4, P8, **TW2**, P16, rep from * to * once, P5 (**10**-16-**21**).

2nd row - K5 (**10**-16-**21**), * (P2, K2, P8, K2) twice, P2 *, K2, (**Bobble**, P3tog) 3 times, K2, P2, K8, P4, K8, P2, K2, (**Bobble**, P3tog) 3 times, K2, rep from * to * once, K5 (**10**-16-**21**).

3rd row - P5 (**10**-16-**21**), * (**TW2**, P2, K8, P2) twice, **TW2** *, P16, **TW2**, P7, **C3RK**, **C3LP**, P7, **TW2**, P16, rep from * to * once, P5 (**10**-16-**21**).

4th row - K5 (**10**-16-**21**), * (P2, K2, P8, K2) twice, P2 *, K2, (P3tog, **Bobble**) 3 times, K2, P2, K7, P2, K1, P3, K7, P2, K2, (P3tog, **Bobble**) 3 times, K2, rep from * to * once, K5 (**10**-16-**21**).

5th row - P5 (**10**-16-**21**), * (**TW2**, P2, **C4F**, **C4B**, P2) twice, **TW2** *, P16, **TW2**, P6, **C3RK**, P1, K1, **C3LP**, P6, **TW2**, P16, rep from * to * once, P5 (**10**-16-**21**).

6th row - K5 (**10**-16-**21**), * (P2, K2, P8, K2) twice, P2 *, K2, (**Bobble**, P3tog) 3 times, K2, P2, K6, P2, (K1, P1) twice, P2, K6, P2, K2, (**Bobble**, P3tog) 3 times, K2, rep from * to * once, K5 (**10**-16-**21**).

Rows 3 to 6 incl form patt except for **centre diamond panel**.

7th row - Patt 53 (**58**-64-**69**), P5, **C3RK**, (P1, K1) twice, **C3LP**, P5, patt to end.
8th and alt rows - Patt 53 (**58**-64-**69**), for next 20 sts, knit all knit sts and purl all purl sts as they appear, patt to end.
9th row - Patt 53 (**58**-64-**69**), P4, **C3RK**, (P1, K1) 3 times, **C3LP**, P4, patt to end.
11th row - Patt 53 (**58**-64-**69**), P3, **C3RK**, (P1, K1) 4 times, **C3LP**, P3, patt to end.
13th row - Patt 53 (**58**-64-**69**), P2, **C3RK**, (P1, K1) 5 times, **C3LP**, P2, patt to end.
15th row - Patt 53 (**58**-64-**69**), P2, **C3LP**, (K1, P1) 5 times, **C3RP**, P2, patt to end.
17th row - Patt 53 (**58**-64-**69**), P3, **C3LP**, (K1, P1) 4 times, **C3RP**, P3, patt to end.
19th row - Patt 53 (**58**-64-**69**), P4, **C3LP**, (K1, P1) 3 times, **C3RP**, P4, patt to end.
21st row - Patt 53 (**58**-64-**69**), P5, **C3LP**, (K1, P1) twice, **C3RP**, P5, patt to end.
23rd row - Patt 53 (**58**-64-**69**), P6, **C3LP**, K1, P1, **C3RP**, P6, patt to end.
25th row - Patt 53 (**58**-64-**69**), P7, **C3LP**, **C3RP**, P7, patt to end.
26th row - As 8th row.
Rows 3 to 26 incl form **body patt**.
Cont in patt until work measures 44 cm from beg, working last row on wrong side.
SHAPE ARMHOLES - Keeping patt correct, cast off 9 (**11**-12-**14**) sts at beg of next 2 rows ... 108 (**114**-124-**130**) sts.
Dec at each end of next and alt rows until 92 (**92**-102-**102**) sts rem. **
Work 53 (**49**-53-**49**) rows patt.
SHAPE SHOULDERS - Cast off 11 sts at beg of next 4 rows, then 10 (**10**-12-**12**) sts at beg of foll 2 rows.
Leave rem 28 (**28**-34-**34**) sts on a stitch-holder.

FRONT

Work as for Back to **.
Work 29 (**23**-25-**19**) rows patt.
SHAPE NECK - **Next row** - Patt 39 (**39**-43-**43**), **turn**. *** Cont on these 39 (**39**-43-**43**) sts.
Dec at neck edge in alt rows until 32 (**32**-34-**34**) sts rem. Work 9 (**11**-9-**11**) rows patt.
SHAPE SHOULDER - Cast off 11 sts at beg of next row and foll alt row.
Work 1 row. Cast off rem 10 (**10**-12-**12**) sts. ***
Slip next 14 (**14**-16-**16**) sts onto stitch-holder and leave.
Join yarn to rem sts and patt to end.
Rep from *** to ***, working 1 row more before shoulder shaping.

SLEEVES

Using 3.25mm Needles, cast on 49 (**49**-51-**53**) sts.
Work 19 rows rib as for Back.
20th row - Rib 10 (**10**-12-**14**), * inc in next st, rep from * to last 10 (**10**-12-**14**) sts, rib 10 (**10**-12-**14**) ... 78 sts.
Change to 4.00mm Needles and **beg patt**.
1st row - P1, * (**TW2**, P2, K8, P2) twice, **TW2** *, P16, rep from * to * once, P1.
2nd row - K1, * (P2, K2, P8, K2) twice, P2 *, K2, (**Bobble**, P3tog) 3 times, K2, rep from * to * once, K1.
3rd row - As 1st row.
4th row - K1, * (P2, K2, P8, K2) twice, P2 *, K2, (P3tog, **Bobble**) 3 times, K2, rep from * to * once, K1.
5th row - P1, * (**TW2**, P2, **C4F**, **C4B**, P2) twice, **TW2** *, P16, rep from * to * once, P1.
6th row - As 2nd row.
Last 4 rows form **sleeve patt**.
Keeping patt correct and working extra sts into purl fabric, inc at each end of next and foll 36th (**12th**-8th-**6th**) rows until there are 84 (**92**-98-**106**) sts.
Cont without shaping until work measures 43 cm (or length desired) from beg, working last row on wrong side.
SHAPE TOP - Keeping patt correct, cast off 5 (**6**-6-**7**) sts at beg of next 2 rows ... 74 (**80**-86-**92**) sts.
Dec at each end of next and alt rows until 34 (**42**-50-**58**) sts rem, then in every row until 16 sts rem.
Cast off.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing and using 3.25mm Needles, knit up 24 (**26**-28-**30**) sts evenly along left side of neck, knit across sts on front stitch-holder thus - K2 (**2**-3-**3**), * K2tog, K2, rep from * to last 0 (**0**-1-**1**) st/s, K0 (**0**-1-**1**), knit up 24 (**26**-28-**30**) sts evenly along right side of neck, then knit across sts from back stitch-holder thus - K3 (**6**-4-**7**), * K2tog, K3 (**5**-4-**7**), rep from * to last 0 (**1**-0-**0**) st/s, K0 (**1**-0-**0**) ... 82 (**88**-98-**104**) sts.
1st row - * K1, P1, rep from * to end.
Rep 1st row 10 times. Cast off loosely in rib.

MAKE UP

DO NOT PRESS. Using back-stitch, join left shoulder seam and neckband seam. Join side and sleeve seams. Sew in sleeves.

3. CREW NECK LACE SWEATERS WITH OPTIONS.

MEASUREMENTS		These garments are designed to be an easy fit.				
Size		**6-8**	**10-12**	**14-16**	**18-20**	**22-24**
Fits bust	cm	70-75	80-85	90-95	100-105	110-115
	ins	28-30	32-34	36-38	40-42	44-46
Garments measure (approx)	**cm**	**85**	**95**	**105**	**115**	**125**
Long Length	cm	67	68	69	70	71
Short Length	cm	57	58	59	60	61
Long Sleeve fits (approx)	cm	43	43	43	43	43
3/4 Sleeve fits (approx)	cm	32	32	32	32	32

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls

Quantities are for 3/4 sleeve length, 1 ball extra will be required if making long sleeves.

Stripe Long Sweater					
Main Colour (M)	5	5	6	6	7
1st Contrast (C1)	4	5	5	6	6
2nd Contrast (C2)	4	5	5	6	6
Stripe Short Sweater					
Main Colour (M)	4	5	5	6	6
1st Contrast (C1)	4	4	5	5	6
2nd Contrast (C2)	4	4	5	5	6
Plain Long Sweater	13	14	15	16	17
Plain Short Sweater	11	12	13	14	15

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders.

TENSION - 22 sts and 30 rows to 10 cm over patt, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 35 sts. Work 44 rows patt as for Back and Front. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

STRIPE SWEATERS

BACK AND FRONT (both alike)

Using 3.25mm Needles and M, cast on 95 (**107**-119-**131**-143) sts.

Knit 5 rows garter st (1st row is wrong side).

Change to 4.00mm Needles and **beg patt**.

Working in patt stripes of 8 rows each M, C1 and C2 throughout, work patt thus:- **1st row** - K1, * yfwd, sl 1, K2tog, psso, yfwd, K3, rep from * to last 4 sts, yfwd, sl 1, K2tog, psso, yfwd, K1.

2nd row - Purl.

Rep 1st and 2nd rows 3 times.

9th row - K4, * yfwd, sl 1, K2tog, psso, yfwd, K3, rep from * to last st, K1.

10th row - Purl.

Rep 9th and 10th rows 3 times.

Last 16 rows form patt.

Keeping stripes and patt correct, cont until work measures 46 cm for **Long Length** or 36 cm for **Short Length**, working last row on wrong side.

Note - Care must be taken when shaping in this pattern stitch. Do not work a yfwd unless you have sufficient sts to work the corresponding sl 1, K2tog, psso or vice versa.

SHAPE ARMHOLES - Keeping stripes and patt correct, cast off 6 (**8**-10-**11**-13) sts at beg of next 2 rows ... 83 (**91**-99-**109**-117) sts.
Dec at each end of next and alt rows until 73 (**77**-81-**87**-93) sts rem.
Work 35 (**35**-33-**31**-31) rows patt.
SHAPE NECK - **Next row** - Patt 23 (**24**-26-**29**-32), **turn**.
** Cont on these 23 (**24**-26-**29**-32) sts.
Dec at neck edge in alt rows until 17 (**18**-19-**22**-24) sts rem.
Work 3 rows patt.
SHAPE SHOULDER - Cast off 6 (**6**-6-**7**-8) sts at beg of next row and foll alt row. Work 1 row.
Cast off rem 5 (**6**-7-**8**-8) sts. **
Slip next 27 (**29**-29-**29**-29) sts on a stitch-holder and leave.
Join yarn to rem sts and patt to end.
Rep from ** to **, working 4 rows instead of 3 before shoulder shaping.

LONG SLEEVES

Using 3.25mm Needles and M, cast on 47 (**47**-47-**53**-53) sts.
Knit 5 rows garter st (1st row is wrong side).
Change to 4.00mm Needles and **beg patt**.
Working in stripes and patt as for Back and Front and working extra sts into patt, inc at each end of 9th row and foll 8th (**6th**-4th-**4th**-4th) rows until there are 63 (**65**-55-**73**-97) sts, then in foll 10th (**8th**-6th-**6th**-6th) rows until there are 71 (**77**-83-**93**-101) sts.
Cont in stripes and patt without shaping until work measures approx 43 cm (or length desired) from beg, ending with same stripe and patt row as for Back and Front to beg of armholes.
SHAPE TOP - Keeping stripes and patt correct, cast off 3 (**4**-5-**6**-7) sts at beg of next 2 rows ... 65 (**69**-73-**81**-87) sts.
Dec at each end of next and alt rows until 25 (**25**-29-**41**-45) sts rem, then in every row until 15 sts rem. Cast off.

3/4 SLEEVES

Using 3.25mm Needles and M, cast on 59 (**59**-65-**71**-77) sts.
Knit 5 rows garter st (1st row is wrong side).
Change to 4.00mm Needles and **beg patt**.
Working in stripes and patt as for Back and Front and working extra sts into patt, inc at each end of 9th row and foll 12th (**8th**-8th-**6th**-6th) rows until there are 65 (**75**-81-**87**-99) sts, then in foll 14th (**10th**-10th-**8th**-8th) row/s until there are 71 (**77**-83-**93**-101) sts.
Cont in stripes and patt without shaping until work measures approx 32 cm from beg, ending with same stripe and patt row as for Back and Front to beg of armholes.
SHAPE TOP - Complete as for **Long Sleeves**.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 3.25mm Needles and M, knit up 11 (**12**-13-**14**-15) sts evenly along left front neck, knit across sts from front stitch-holder, knit up 11 (**12**-13-**14**-15) sts evenly along right front neck, 11 (**12**-13-**14**-15) sts evenly along right back neck, knit across sts from back stitch-holder, then knit up 11 (**12**-13-**14**-15) sts evenly along left back neck ... 98 (**106**-110-**114**-118) sts.
Knit 5 rows garter st.
Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using back-stitch, join left shoulder and neckband seam. Join side and sleeve seams, matching stripes. Sew in sleeves.

PLAIN SWEATERS

Work as for **Stripe Sweaters**, noting to work in patt using one colour only throughout.

BACK-STITCH SEAM

This is the method most commonly used for joining knitted garments. Hold the pieces together with right sides inside. The seam should be sewn one full stitch in from the end of each row so that all seams will be even. One stitch should be worked over every row. Darn in all ends of yarn **after** sewing seams.



4. CREW NECK CARDIGAN WITH STRIPE DETAIL.

MEASUREMENTS		This garment is designed to be an easy fit.			
Size		**6-8**	**10-12**	**14-16**	**18-20**
Fits bust	cm	70-75	80-85	90-95	100-105
	ins	28-30	32-34	36-38	40-42
Garment measures	**cm**	**85**	**95**	**105**	**115**
Length	cm	67	68	69	70
Sleeve fits (3/4 length)	cm	32	32	32	32

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls

Main Colour (M)	12	13	14	15
1st Contrast (C1)	1	1	1	1
2nd Contrast (C2)	1	1	1	1

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. A Stitch Holder. 10 Buttons.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

BACK

Using 3.25mm Needles, cast on 97 (**107**-119-**129**) sts.

1st row - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows until work measures 7 cm from beg, ending with a 2nd row.

Change to 4.00mm Needles.

Work 24 rows stocking st in stripes of 12 rows M, 2 rows C1, 8 rows C2 and 2 rows C1.

Using M for rem, cont in stocking st until work measures 42 cm from beg, ending with a purl row.

SHAPE ARMHOLES - Cast off 5 (**7**-9-**10**) sts at beg of next 2 rows ... 87 (**93**-101-**109**) sts.

Dec at each end of next and alt rows until 77 (**81**-85-**89**) sts rem.

Work 57 (**59**-57-**57**) rows without shaping.

SHAPE SHOULDERS - Cast off 6 (**7**-7-**7**) sts at beg of next 4 rows, then 7 (**6**-7-**8**) sts at beg of foll 2 rows.

Leave rem 39 (**41**-43-**45**) sts on a stitch-holder.

LEFT FRONT

Using 3.25mm Needles and M, cast on 47 (**53**-59-**63**) sts.

Work 7 cm in rib as for Back, ending with a 2nd row and inc 1 (**0**-0-**1**) st/s in centre of last row ... 48 (**53**-59-**64**) sts.

Change to 4.00mm Needles.

Work 24 rows stocking st in stripes of 12 rows M, 2 rows C1, 8 rows C2 and 2 rows C1.

Using M for rem, cont in stocking st unitl work measures 42 cm from beg, ending with a purl row. **

SHAPE ARMHOLE - Cast off 5 (**7**-9-**10**) sts at beg of next row ... 43 (**46**-50-**54**) sts.

Dec at armhole edge in alt rows until 38 (**40**-42-**44**) sts rem.

Work 42 (**42**-38-**38**) rows without shaping.

SHAPE NECK - Cast off 10 (**10**-11-**11**) sts at beg of next row ... 28 (**30**-31-**33**) sts.

*** Dec at neck edge in every row until 23 (**25**-26-**28**) sts rem, then in alt rows until 19 (**20**-21-**22**) sts rem.

Work 1 (**1**-3-**1**) row/s.
SHAPE SHOULDER - Cast off 6 (**7**-7-**7**) sts at beg of next row and foll alt row.
Work 1 row. Cast off rem 7 (**6**-7-**8**) sts. ***

RIGHT FRONT

Work as for Left Front to **.
Work 1 row.
SHAPE ARMHOLE - Cast off 5 (**7**-9-**10**) sts at beg of next row ... 43 (**46**-50-**54**) sts.
Dec at armhole edge in next and alt rows until 38 (**40**-42-**44**) sts rem.
Work 41 (**41**-37-**37**) rows without shaping.
SHAPE NECK - Cast off 10 (**10**-11-**11**) sts at beg of next row ... 28 (**30**-31-**33**) sts.
Work 1 row.
Work as for Left Front from *** to ***, working 1 row more before shoulder shaping.

SLEEVES

Using 3.25mm Needles and M, cast on 65 (**69**-75-**77**) sts.
Work 5 cm in rib as for Back, ending with a 2nd row.
Change to 4.00mm Needles.
Work 4 rows stocking st.
5th row - K2, **M1**, knit to last 2 sts, **M1**, K2.
Work 19 rows stocking st (beg with a purl row) in stripes of 7 rows M, 2 rows C1, 8 rows C2 and 2 rows C1, AT SAME TIME inc (as before) at each end of foll 10th (**8th**-8th-**4th**) row/s 1 (**2**-2-**4**) time/s ... 69 (**75**-81-**87**) sts.
Using M for rem, cont in stocking st, inc at each end of foll 10th (**8th**-8th-**6th**) rows from previous inc until there are 75 (**79**-85-**99**) sts, **sizes 6-8, 10-12 and 14-16 only** - then in foll 12th (**10th**-10th) row/s until there are 77 (**83**-89) sts.
All sizes - Cont without shaping until work measures 32 cm (or length desired) from beg, ending with a purl row.
SHAPE TOP - Cast off 3 (**4**-5-**5**) sts at beg of next 2 rows ... 71 (**75**-79-**89**) sts.
Dec at each end of next and alt rows until 35 (**39**-43-**59**) sts rem, then in every row until 17 sts rem.
Cast off.

LEFT FRONT BAND

Using 3.25mm Needles and M, cast on 9 sts.
Work 162 rows rib as for Back.
Break off yarn.
Leave sts on spare needle.

RIGHT FRONT BAND

Using 3.25mm Needles and M, cast on 9 sts.
Work 4 rows rib as for Back.
5th row - Rib 4, cast off 2 sts, rib 3.
6th row - Rib 3, **turn**, cast on 2 sts, **turn**, rib 4.
Work 16 rows rib.
Rep last 18 rows 7 times, then 5th and 6th rows once ... 9 buttonholes.
Work 13 rows rib.
Do not break off yarn.
Leave sts on needle.

NECKBAND

Using back-stitch, join shoulder seams. Sew front bands in position. With right side facing, using 3.25mm Needle holding right front band sts and M, knit up 97 (**103**-109-**113**) sts evenly around neck, incl sts from back stitch-holder, then rib across left front bands sts ... 115 (**121**-127-**131**) sts.
Work 11 rows rib as for Back, beg with a 2nd row and working a buttonhole (as before) in 4th and 5th rows.
Cast off in rib.

MAKE UP

DO NOT PRESS. Using back-stitch, join side and sleeve seams. Sew in sleeves. Sew on buttons.

Neatening of cast-off buttonholes. When working the cast-on row of buttonhole, before slipping the last cast-on stitch on to the left-hand needle, pass the yarn from back to front between the needles, then slip the stitch on to the left-hand needle and complete the row.
Alternatively, when working the row after buttonhole has been completed, with right-hand needle pick up purlways the loose thread, or threads, at base of buttonhole, slip it on to left-hand needle and work it together with the first stitch on left-hand needle.

5. STRIPE SWEATERS WITH SLEEVE OPTIONS.

MEASUREMENTS		These garments are designed to be a neat fit.			
Size		**6-8**	**10-12**	**14-16**	**18-20**
Fits bust	cm	70-75	80-85	90-95	100-105
	ins	28-30	32-34	36-38	40-42
Garments measure	**cm**	**80**	**90**	**100**	**110**
Length (approx)	cm	56	57	58	59
Short Sleeve seam	cm	10	10	10	10
Long Sleeve fits	cm	43	43	43	43

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls				
Top Without Sleeves				
Main Colour (M)	3	4	5	6
1st Contrast (C1)	1	1	2	2
2nd Contrast (C2)	2	2	3	3
Short Sleeve Top				
Main Colour (M)	4	5	6	7
1st Contrast (C1)	2	2	2	3
2nd Contrast (C2)	3	3	3	4
Long Sleeve Top				
Main Colour (M)	5	6	7	8
1st Contrast (C1)	3	3	4	4
2nd Contrast (C2)	4	4	4	5

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

BACK

Using 3.25mm Needles and M, cast on 89 (**101**-111-**121**) sts.
1st row - K2, * P1, K1, rep from * to last st, K1.
2nd row - K1, * P1, K1, rep from * to end.
Rep 1st and 2nd rows 11 times ... 24 rows rib in all.
Change to 4.00mm Needles and **beg stripe patt**.
Work 24 rows stocking st in stripes of 2 rows C1, 8 rows C2, 2 rows C1 and 12 rows M.
Last 24 rows form stripe patt.
Work a further 64 rows patt.

SHAPE ARMHOLES - Keeping patt correct, cast off 8 (**11**-13-**15**) sts at beg of next 2 rows ... 73 (**79**-85-**91**) sts.
Dec at each end of next and alt rows until 55 (**57**-59-**61**) sts rem. **
Work a further 27 (**25**-25-**23**) rows.
SHAPE NECK - Next row - K15, **turn**.
Cont on these 15 sts.
Dec at neck edge in every row until 9 sts rem, then in alt rows until 7 sts rem.
Work 1 row. Cast off.
Slip next 25 (**27**-29-**31**) sts onto a stitch-holder and leave.

Join yarn to rem sts and knit to end.
Cont on these 15 sts.
Dec at neck edge in every row until 9 sts rem, then in alt rows until 7 sts rem.
Work 1 row. Cast off.

FRONT

Work as for Back to **.
Work a further 7 (**3**-3-**1**) row/s.
SHAPE NECK - **Next row** - K15 (**16**-16-**17**), **turn**.
*** Cont on these 15 (**16**-16-**17**) sts.
Dec at neck edge in alt rows until 11 sts rem, then in foll 4th rows until 7 sts rem.
Work 7 (**7**-7-**5**) rows. Cast off. ***
Slip next 25 (**25**-27-**27**) sts onto stitch-holder and leave. Join yarn to rem sts and knit to end.
Rep from *** to ***.

SHORT SLEEVES

Using 3.25mm Needles and M, cast on 69 (**77**-83-**91**) sts.
Work 9 rows rib as for Back.
Change to 4.00mm Needles and **beg stripe patt**.
Work 22 rows in stripes of 6 rows M, 2 rows C1, 8 rows C2, 2 rows C1 and 4 rows M.
SHAPE TOP - Keeping stripes correct as for Back (commencing with 8 rows M), cast off 4 (**6**-7-**8**) sts at beg of next 2 rows ... 61 (**65**-69-**75**) sts.
Dec at each end of next and alt rows until 21 (**25**-29-**37**) sts rem, then in every row until 15 sts rem.
Cast off.

LONG SLEEVES

Using 3.25mm Needles and M, cast on 49 (**49**-51-**53**) sts.
Work 18 rows rib as for Back.
Change to 4.00mm Needles and **beg stripe patt**.
Work in stripe patt as for Back, inc at each end of 5th and foll 10th (**6th**-6th-**4th**) rows until there are 67 (**63**-81-**71**) sts, then in foll 12th (**8th**-8th-**6th**) row/s until there are 69 (**77**-83-**91**) sts.
Cont without shaping until work measures approx 43 cm from beg, ending with same patt row as for Back to beg of armholes.
SHAPE TOP - Complete as for **Short Sleeves**.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 3.25mm Needles and M, knit up 32 (**34**-34-**34**) sts evenly along left front neck, knit across sts from front stitch-holder, knit up 32 (**34**-34-**34**) sts evenly along right front neck, 12 sts evenly along right back neck, knit across sts from back stitch-holder - dec one st in centre, then knit up 12 sts evenly along left back neck ... 137 (**143**-147-**149**) sts.
Work 9 rows rib as for Back, beg with a 2nd row.
Cast off loosely in rib.

ARMHOLE BANDS

Using back-stitch, join left shoulder and neckband seam. With right side facing, using 3.25mm Needles and M, knit up 110 (**120**-132-**140**) sts evenly along armhole edge.
Work 9 rows rib as for Back, beg with a 2nd row.
Cast off loosely in rib.

MAKE UP

DO NOT PRESS. Using back-stitch, join side seams. Sew in sleeves for **Tops With Sleeves**.

VARIATIONS IN SPECIFIED YARN QUANTITIES FOR GARMENTS

Knitters occasionally comment that the quantity of yarn recommended for a garment varies from the amount they actually use. One major reason for this is that no two people knit or crochet in exactly the same way. When we specify a quantity of yarn for a particular garment, we are stating a figure that is the end result of having each individual design made by as many as six different knitters.

The average quantity determined by this check knitting is regarded as the most satisfactory figure for that particular garment, knitted at the **correct tension** * to the measurements specified and in the actual yarn recommended. Naturally, if you decide to change the body or sleeve length **you must allow for an adjustment to the quantity of yarn.**

* **Correct tension** - see tension instructions for your garment.

6. TOP WITH LACE STRAPS AND CROCHET TRIM.

MEASUREMENTS

This garment is designed to be a firm fit.

Size		**8**	**10**	**12**	**14**	**16**
Fits bust	cm	75	80	85	90	95
	ins	30	32	34	36	38
Length (approx)	cm	44	45	45	46	46

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls

Quantity	4	5	6	7	8

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 3.00mm (No 10-11) Crochet Hook.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

BACK

Using 3.25mm Needles, cast on 85 (**91**-95-**101**-107) sts.
Knit 3 rows garter st (1st row is wrong side).
Change to 4.00mm Needles.
Work in stocking st until work measures 26 cm from beg, ending with a purl row.
SHAPE ARMHOLES - Cast off 5 (**6**-6-**7**-8) sts at beg of next 2 rows ... 75 (**79**-83-**87**-91) sts. **
Dec at each end of next and alt rows until 55 (**59**-61-**63**-67) sts rem.
Work 1 (**3**-1-**1**-3) row/s. Cast off loosely.

FRONT

Work as for Back to **.
DIVIDE FOR NECK - Next row - K2tog, K35 (**37**-39-**41**-43), **turn**.
*** Cont on these 36 (**38**-40-**42**-44) sts.
Dec at armhole edge in alt rows 9 (**9**-10-**11**-11) times, AT SAME TIME dec at neck edge in every row 18 (**20**-21-**22**-24) times ... 9 sts.
Work 1 (**1**-0-**1**-1) row/s.
Change to 3.25mm Needles.
Beg strap patt - Purl 2 rows.
3rd row - K1, * yfwd, sl 1, K1, psso, rep from * to end.
Purl 3 rows.
7th row - K1, * yfwd, K2tog, rep from * to end.
Purl 1 row.
Last 8 rows form patt.
Cont in patt until strap measures approx 21 (**22**-22-**22**-21) cm, ending with 2 purl rows.
Cast off purlways. ***
Join yarn to rem sts, K2tog, knit to last 2 sts, K2tog.
Rep from *** to ***.

MAKE UP

DO NOT PRESS. Using back-stitch, join side seams. Stitch straps in position to Back. Using 3.00mm Hook, work 1 row dc evenly around neck edge incl straps, having a multiple of 3.
2nd row - 1ch, * 1dc in next dc, 3ch, sl st into first of these ch, 1dc in each of next 2dc, rep from * to end, sl st in dc at beg.
Fasten off.
Work in same manner around armholes.

7. VEE NECK TUNIC WITH FRONT LACE DETAIL.

MEASUREMENTS		This garment is designed to be an easy fit.				
Size		**6-8**	**10-12**	**14-16**	**18-20**	**22-24**
Fits bust	cm	70-75	80-85	90-95	100-105	110-115
	ins	28-30	32-34	36-38	40-42	44-46
Garment measures	**cm**	**85**	**95**	**105**	**115**	**125**
Length	cm	67	68	69	70	71
Sleeve fits	cm	43	43	43	43	43

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls						
Quantity	11	12	13	14	15	

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

BACK

Using 4.00mm Needles, cast on 95 (**107**-117-**129**-139) sts.
Work in stocking st until work measures 46 cm from beg, ending with a purl row.
SHAPE ARMHOLES - Cast off 6 (**8**-9-**11**-12) sts at beg of next 2 rows ... 83 (**91**-99-**107**-115) sts.
Dec at each end of next and alt rows until 73 (**77**-81-**87**-93) sts rem.
Work 39 (**37**-37-**37**-39) rows.
SHAPE BACK NECK - **Next row** - K24 (**25**-26-**28**-30), cast off next 25 (**27**-29-**31**-33) sts, knit to end.
** Cont on last 24 (**25**-26-**28**-30) sts.
Dec at neck edge in every row until 11 (**12**-13-**15**-17) sts rem.
Work 1 row.
SHAPE SHOULDER - Cast off 6 (**6**-7-**8**-9) sts at beg of next row. Work 1 row.
Cast off rem 5 (**6**-6-**7**-8) sts. **
With wrong side facing, join yarn to rem sts.
Rep from ** to **, working 1 row less before shoulder shaping.

FRONT

Using 4.00mm Needles, cast on 95 (**107**-117-**129**-139) sts.
Work 4 rows stocking st.
Beg patt - 1st row - K34 (**40**-45-**51**-56), (P3, K1, K2tog, K1, yfwd, K1, yfwd, K1, sl 1, K1, psso, K1) twice, P3, K34 (**40**-45-**51**-56).
2nd and alt rows - P34 (**40**-45-**51**-56), (K3, P9) twice, K3, P34 (**40**-45-**51**-56).
3rd row - K34 (**40**-45-**51**-56), (P3, K1, K2tog, yfwd, K3, yfwd, sl 1, K1, psso, K1) twice, P3, K34 (**40**-45-**51**-56).
5th row - K34 (**40**-45-**51**-56), (P3, K2, yfwd, sl 1, K1, psso, K1, K2tog, yfwd, K2) twice, P3, K34 (**40**-45-**51**-56).
7th row - K34 (**40**-45-**51**-56), (P3, K3, yfwd, sl 1, K2tog, psso, yfwd, K3) twice, P3, K34 (**40**-45-**51**-56).
8th row - As 2nd row.
Rows 1 to 8 incl form patt.
Cont in patt until work measures 46 cm from beg, working last row on wrong side.
SHAPE ARMHOLES - Keeping patt correct, cast off 6 (**8**-9-**11**-12) sts at beg of next 2 rows ... 83 (**91**-99-**107**-115) sts.

DIVIDE FOR VEE NECK - **1st row** - K2tog, patt 39 (**43**-47-**51**-55), **turn**.
Cont on these 40 (**44**-48-**52**-56) sts.
2nd row - K1, P9, K3, purl to end.
3rd row - K2tog, patt 23 (**27**-31-**35**-39), K2tog, patt to end.
*** Keeping patt correct, dec at armhole edge in alt rows 3 (**5**-7-**8**-9) times, AT SAME TIME dec inside patt panel at neck edge (as before) in foll 4th rows until 22 (**23**-24-**26**-28) sts rem.
Work 7 (**5**-5-**3**-3) rows patt.
SHAPE SHOULDER - Cast off 6 (**6**-7-**8**-9) sts at beg of next row. Work 1 row.
Cast off next 5 (**6**-6-**7**-8) sts, patt to end ... 11 sts.
Keeping patt correct, cont on these 11 sts until work measures 10 (**10**-11-**11**-12) cm (or length to fit evenly along half back neck) from end of shoulder, working last row on wrong side.
Cast off loosely. ***
Join yarn to rem sts, **1st row** - P2tog, patt to last 2 sts, K2tog ... 40 (**44**-48-**52**-56) sts.
2nd row - Purl to last 13 sts, K3, P9, K1.
3rd row - Patt 13, sl 1, K1, psso, knit to last 2 sts, K2tog.
Rep from *** to ***, working 1 row more before shoulder shaping.

SLEEVES

Using 4.00mm Needles, cast on 53 (**55**-57-**59**-59) sts.
Work 8 rows stocking st.
9th row - K2, **M1**, knit to last 2 sts, **M1**, K2.
Cont inc (as before) at each end of foll 12th (**10th**-8th-**6th**-4th) rows until there are 65 (**75**-77-**87**-79) sts, then in foll 14th (**12th**-10th-**8th**-6th) row/s until there are 71 (**77**-83-**93**-101) sts.
Cont without shaping until work measures 43 cm (or length desired) from beg, ending with a purl row.
SHAPE TOP - Cast off 3 (**4**-5-**6**-6) sts at beg of next 2 rows ... 65 (**69**-73-**81**-89) sts.
Dec at each end of next and alt rows until 21 (**25**-29-**41**-49) sts rem, then in every row until 15 sts rem.
Cast off.

MAKE UP

DO NOT PRESS. Using back-stitch, join shoulder seams to beg of patt panels. Sew patt panels evenly along back neck to centre easing to fit. Join patt panel seam at centre back neck. Using back-stitch, join side and sleeve seams, reversing seam for first 1 cm. Sew in sleeves. Allow lower edge and cuffs to roll to right side.


KNITTING UP STITCHES

This is the method used for neckbands, armhole bands, etc. Hold work in left hand with right side facing you. Hold working needle and yarn in right hand. Insert point of needle through work from front to back. Wrap yarn round point of needle and knit a stitch.
When working along a cast-off edge, insert needle under both loops of cast-off stitch, and knit up one stitch in each cast-off stitch. (Diagram A)
When working along side edge, insert needle inside one full stitch from the edge (i.e. behind 2 loops of stitch, not just the edge loop). (Diagram B)
You will find along this edge that there is alternately one long and one short stitch. If you require less stitches than there are rows along this edge, always knit up through the short stitches and omit some of the long stitches. (Diagram C)
Before commencing, always count the number of rows you have and compare it to the number of stitches you require, then you will be able to make any adjustments evenly along the length of the work. If you find it difficult to knit up stitches neatly, try using needles 1 or 2 sizes smaller than those in the instructions - but do not forget to change back to the correct size for knitting the band. Some knitters use a crochet hook to pull the stitches through, slipping them one at a time on to the needle.



SEWING FRONT BANDS TO HIGH BUTTONING CARDIGAN

Knit bands as instructions. Sew raglan or shoulder seams as stated in instructions. Pin front bands to lower bands of cardigan, matching row for row. Lay cardigan flat on table and pin fronts to back at raglan or shoulder seams. Pin fronts to back of cardigan along front edges, taking care that lower bands and neck edges match exactly. All rows of knitting should be horizontal across garment, thus any stripes or patterns will match exactly. Mark fronts in quarters with pins by measuring (from top of lower bands) with tape measure. Mark front bands in quarters (from top of lower bands). Pin bands to cardigan, watching that all lines of knitting remain horizontal. Turn bands so that right side of band is to right side of garment and re-pin, taking out and replacing each pin separately. Back-stitch band to cardigan. Care should be taken that lower edge of garment forms a straight edge and that there is not an indentation at band seam. One stitch should be taken from band and cardigan to form seam.



CASTING ON FOR K1, P1, RIB

This is a variation of the two-needle method of casting on, and gives a very neat and elastic edge. It is **not** suitable for any rib other than K1, P1.

First you will need to read the first rib row, as this will determine how you start your casting on.

1. If you need an uneven number of stitches and the first row reads K2, * P1, K1, rep from * to last st, K1 . - Make a slip loop and place it on left-hand needle. Insert right-hand needle into loop knitways and knit a stitch, slip the stitch thus made on to the left-hand needle.

** Insert right-hand needle purlways between last 2 stitches and purl a stitch (diagram 1), slip the stitch thus made on to left-hand needle (taking care not to twist the stitch), insert right-hand needle knitways between last 2 stitches and knit a stitch (diagram 2), slip the stitch thus made on to left-hand needle, rep from ** for required number of stitches, ending with 2 knit stitches (before slipping the last stitch on to your left-hand needle, bring your yarn forward between the two needles - this will keep the edge of your work neat).

2. If you need an even number of stitches and the first row reads * K1 P1, rep from * to last 2 sts, K2. - Work as for method 1, but end with 1 knit stitch instead of 2.

3. If you need an uneven number of stitches and the first row reads K1, * P1, K1, rep from * to end. - Make a slip loop and place it on left-hand needle. Insert right-hand needle into loop purlways and purl a stitch, slip the stitch thus made on to left-hand needle (taking care not to twist the stitch).

** Insert right-hand needle knitways between last 2 stitches and knit a stitch (diagram 2), slip the stitch thus made on to left-hand needle, insert right-hand needle purlways between last 2 stitches and purl a stitch (diagram 1), slip the stitch thus made on to left-hand needle (taking care not to twist the stitch), rep from ** for required number of stitches, ending with 1 knit stitch (before slipping the last stitch on to your left-hand needle, bring your yarn forward between the two needles - this will keep the edge of your work neat).

4. If you need an even number of stitches and the first row reads K2, * P1, K1, rep from * to end. - Work as for method 3, but end with 2 knit stitches instead of 1.

1



2



8. BOAT NECK TABBARDS WITH LENGTH OPTIONS.

MEASUREMENTS		These garments are designed to be a neat fit.				
Size		**8**	**10**	**12**	**14**	**16**
Fits bust	cm	75	80	85	90	95
	ins	30	32	34	36	38
Garments measure (approx)	**cm**	**80**	**85**	**90**	**95**	**100**
Short Length	cm	57	58	58	59	59
Long Length	cm	67	68	68	69	69

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls					
Short Length	6	7	8	9	10
Long Length	8	9	10	11	12

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair 4.00mm (No 8) Knitting Needles or size needed to give correct tension.

TENSION - 25 sts to 10 cm over patt, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 38 sts. Work in patt as for Back until work measures 15 cm from beg. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

BACK AND FRONT (both alike)

Using 4.00mm Needles, cast on 102 (**106**-114-**118**-126) sts.

Beg patt - 1st row - K3, * yfwd, sl 1, K1, psso, K2, rep from * to last 3 sts, yfwd, sl 1, K1, psso, K1.

2nd row - P3, * yrn, P2tog, P2, rep from * to last 3 sts, yrn, P2tog, P1.

Last 2 rows form patt.

Cont in patt until work measures 57 (**58**-58-**59**-59) cm for **Short Length** or 67 (**68**-68-**69**-69) cm for **Long Length** from beg, ending with a 2nd row. Cast off loosely.

MAKE UP

DO NOT PRESS. Using back-stitch, join shoulder seams, leaving an opening of 18 (**19**-19-**20**-20) cm free for neck. Tie coloured threads 21 (**22**-22-**23**-23) cm down from shoulders on side edges of Back and Front to mark armholes. Join side seams to coloured threads for **Short Length**. Make two twisted cords approx 1.5 metres long (see page 23) and begin lacing cords through eyelet holes at coloured threads as pictured for **Long Length**.

9. EASY HALTER TOP WITH TIE TRIMS.

MEASUREMENTS		This garment is designed to be a firm fit.				
Size		**6**	**8**	**10**	**12**	**14**
Fits bust	cm	70	75	80	85	90
	ins	28	30	32	34	36
Length (approx)	cm	39	39	40	40	41

PATONS YARN REQUIRED -
See page 5 for alternative yarns which may be used.
ZEST 8 PLY 50g balls

Quantity	3	4	4	5	5

IMPORTANT! Use only the yarn specified for this garment. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 3.75mm (No 9) and 3.00mm (No 11) Knitting Needles or sizes needed to give correct tension. A Stitch Holder.

TENSION - 23 sts and 30 rows to 10 cm over stocking st, using 3.75mm Needles. To work tension square, use 3.75mm Needles, cast on 35 sts. Work 44 rows stocking st. Cast off loosely. This garment has been designed at a firmer tension than normally recommended.
Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

TOP (worked in one piece)
Using 3.00mm Needles, cast on 149 (**161**-173-**183**-195) sts.
Knit 5 rows garter st (1st row is wrong side).
Change to 3.75mm Needles.
1st row - K2, sl 1, K1, psso, K33 (**36**-39-**41**-44), inc in next st, K73 (**79**-85-**91**-97), inc in next st, K33 (**36**-39-**41**-44), K2tog, K2.
2nd row - K2, purl to last 2 sts, K2.
3rd row - K2, sl 1, K1, psso, knit to last 4 sts, K2tog, K2 ... 147 (**159**-171-**181**-193) sts.
Rep last 2 rows 3 times, then 2nd row once ... 141 (**153**-165-**175**-187) sts.
11th row - K2, sl 1, K1, psso, K29 (**32**-35-**37**-40), inc in next st, K73 (**79**-85-**91**-97), inc in next st, K29 (**32**-35-**37**-40), K2tog, K2.
Rep 2nd and 3rd rows 4 times, then 2nd row once ... 133 (**145**-157-**167**-179) sts.
21st row - K2, sl 1, K1, psso, K25 (**28**-31-**33**-36), inc in next st, K73 (**79**-85-**91**-97), inc in next st, K25 (**28**-31-**33**-36), K2tog, K2.
Rep 2nd and 3rd rows 4 times, then 2nd row once ... 125 (**137**-149-**159**-171) sts.
31st row - K2, sl 1, K1, psso, K21 (**24**-27-**29**-32), inc in next st, K73 (**79**-85-91-**97**), inc in next st, K21 (**24**-27-**29**-32), K2tog, K2.
Rep 2nd and 3rd rows 4 times, then 2nd row once ... 117 (**129**-141-**151**-163) sts.
41st row - K2, sl 1, K1, psso, K17 (**20**-23-**25**-28), inc in next st, K73 (**79**-85-**91**-97), inc in next st, K17 (**20**-23-**25**-28), K2tog, K2.
Rep 2nd and 3rd rows 4 times, then 2nd row once ... 109 (**121**-133-**143**-155) sts.
51st row - K2, sl 1, K1, psso, K13 (**16**-19-**21**-24), inc in next st, K73 (**79**-85-**91**-97), inc in next st, K13 (**16**-19-**21**-24), K2tog, K2.
Keeping garter st border correct, cont dec at side edges in alt rows until 65 (**87**-105-**125**-139) sts rem, then in every row until 59 (**65**-71-**71**-77) sts rem.
SHAPE NECK - **Next row** - K2, sl 1, K1, psso, K19 (**22**-24-**24**-27), **turn**.
** Cont on these 22 (**25**-27-**27**-30) sts.
Dec at armhole edge in every row 15 (**17**-19-**19**-21) times, AT SAME TIME dec at neck edge in alt rows 5 (**6**-6-**6**-7) times ... 2 sts.

Next row - K2tog. Fasten off. **
Slip next 13 (**13**-15-**15**-15) sts onto stitch-holder and leave.
Join yarn to rem sts and knit to last 4 sts, K2tog, K2.
Rep from ** to **.

NECKBAND

With right side facing and using 3.00mm Needles, knit up 12 (**13**-14-**14**-15) sts evenly along left side of neck, knit across sts from stitch-holder, then knit up 12 (**13**-14-**14**-15) sts evenly along right side of neck ... 37 (**39**-43-**43**-45) sts.
Knit 5 rows garter st.
Cast off loosely.

STRAPS (make 4)


Using 3.00mm Needles, cast on 5 sts.
Knit in garter st until strap measures 25 cm (or length desired) from beg.
Cast off.

MAKE UP

DO NOT PRESS. Stitch straps to lower side edges and either side of neckband.

TO MAKE A TWISTED CORD

Method requires two people. Take as many strands of yarn as required, approximately three times the length required for the finished cord. Knot each end and slip a pencil between strands. Each person holds yarn just below pencil with one hand and twists pencil clockwise with other hand, keeping yarn taut. When yarn begins to kink, catch centre over door-knob or back of chair. Bring pencils together for one person to hold, while other grasps centre of yarn, sliding hand down and releasing at short intervals, letting yarn twist. Knot ends to prevent unravelling.



FLAT SEAM

This method is sometimes used for knitted garments but more often for crochet garments. A flat seam may be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric evenly together and sew stitch by stitch, always bringing the needle up from underneath to top though the centre of the stitch, then in same manner through corresponding stitch on second piece. **Note** - Diagram shows knitted fabric, but method is the same for knitting or crochet. Always keep work elastic -there should be as much stretch in your seam as there is in the rest of your garment.



10. STRIPE SWEATERS WITH NECK OPTIONS.

MEASUREMENTS		These garments are designed to be an easy fit.				
Size		**6-8**	**10-12**	**14-16**	**18-20**	**22-24**
Fits bust	cm	70-75	80-85	90-95	100-105	110-115
	ins	28-30	32-34	36-38	40-42	44-46
Garments measure	**cm**	**85**	**95**	**105**	**115**	**125**
Length (approx)	cm	67	68	69	70	71
Sleeve fits (approx)	cm	43	43	43	43	43

PATONS YARN REQUIRED -

See page 5 for alternative yarns which may be used.

ZEST 8 PLY 50g balls

Crew Neck Sweater					
1st Colour (C1)	5	6	6	7	7
2nd Colour (C2)	2	2	3	3	3
3rd Colour (C3)	3	3	4	4	4
4th Colour (C4)	3	3	4	4	4
5th Colour (C5)	2	2	3	3	3
Vee Neck Sweater					
1st Colour (C1)	5	5	5	6	6
2nd Colour (C2)	2	2	3	3	3
3rd Colour (C3)	3	3	4	4	4
4th Colour (C4)	3	3	4	4	4
5th Colour (C5)	2	2	3	3	3

IMPORTANT! Use only the yarn specified for these garments. Other yarns may give unsatisfactory results. Quantities are approximate as they can vary between knitters.

1 pair each 4.00mm (No 8) and 3.25mm (No 10) Knitting Needles or sizes needed to give correct tension. 2 Stitch Holders for **Crew Neck Sweater**; 1 Stitch Holder for **Vee Neck Sweater**.

TENSION - 22 sts and 30 rows to 10 cm over stocking st, using 4.00mm Needles. To work tension square, use 4.00mm Needles, cast on 33 sts. Work 44 rows stocking st. Cast off loosely. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

ABBREVIATIONS - See page 28.

CREW NECK SWEATER

BACK

Using 3.25mm Needles and C1, cast on 95 (**107**-117-**129**-139) sts.
Work 5 rows stocking st.
6th row (foldline) - Knit.
Change to 4.00mm Needles.
Work 8 rows stocking st.
Beg stripes - **Note** - When working in garter st you will need to use 3.25mm Needles and when working in stocking st you will need to use 4.00mm Needles.

** Using C1, work a further 16 rows stocking st.
Using C2, knit 4 rows garter st.
Using C3, work 8 rows stocking st.
Using C4, knit 4 rows garter st.
Using C2, work 6 rows stocking st.
Rep last 10 rows once, noting needle changes.
Using C4, knit 4 rows garter st.
Using C5, work 12 rows stocking st.
Using C1, knit 4 rows garter st.
Using C3, work 10 rows stocking st.
Using C1, knit 4 rows garter st.
Using C4, work 6 rows stocking st.

Using C2, knit 4 rows garter st.
Using C1, work 16 rows stocking st.
Using C3, knit 4 rows garter st.
Using C5, work 4 rows stocking st.
Using C3, knit 4 rows garter st.
Using C5, work 6 rows stocking st.
Using C2, knit 4 rows garter st.
SHAPE ARMHOLES - Using C4 and stocking st, cast off 6 (**8**-9-**11**-12) sts at beg of next 2 rows ... 83 (**91**-99-**107**-115) sts. ***
Dec at each end of next and alt rows 3 times in all ... 77 (**85**-93-**101**-109) sts.
Work 1 row.
Using C1, knit 4 rows garter st, dec at each end of next row and foll alt row ... 73 (**81**-89-**97**-105) sts.
Using C4, work 8 rows stocking st, dec at each end of next and alt row/s 0 (**2**-4-**4**-4) times in all ... 73 (**77**-81-**89**-97) sts.
Using C2, knit 4 rows garter st, dec at each end of next and alt row/s 0 (**0**-0-**1**-2) time/s in all ... 73 (**77**-81-**87**-93) sts.
Using C3, work 12 rows stocking st.
Using C5, knit 4 rows garter st. ****
Using C1 and stocking st for rem, work 24 (**26**-30-**32**-36) rows.
SHAPE SHOULDERS - Cast off 7 (**7**-7-**8**-9) sts at beg of next 4 rows, then 7 (**7**-8-**8**-8) sts at beg of foll 2 rows.
Leave rem 31 (**35**-37-**39**-41) sts on a stitch-holder.

FRONT

Work as for Back to ****.
Using C1 and stocking st for rem, work 2 (**2**-2-**4**-6) rows.
SHAPE NECK - **Next row** - K29 (**30**-32-**34**-37), **turn**.
***** Cont on these 29 (**30**-32-**34**-37) sts.
Dec at neck edge in alt rows until 21 (**21**-22-**24**-26) sts rem.
Work 5 (**5**-7-**7**-7) rows stocking st.
SHAPE SHOULDER - Cast off 7 (**7**-7-**8**-9) sts at beg of next row and foll alt row. Work 1 row.
Cast off rem 7 (**7**-8-**8**-8) sts. *****
Slip next 15 (**17**-17-**19**-19) sts onto stitch-holder and leave.
Join C1 to rem sts and knit to end.
Rep from ***** to *****, working 1 row more before shoulder shaping.

SLEEVES

Using 3.25mm Needles and C1, cast on 49 (**49**-51-**53**-53) sts.
Work 5 rows stocking st.
6th row (foldline) - Knit.
Change to 4.00mm Needles.
Work 8 rows stocking st.
Beg stripes - Beg at ** of Back, work 130 rows in stripes as for Back noting needle changes, AT SAME TIME inc at each end of 7th row and foll 10th (**8th**-6th-**4th**-4th) rows 7 (**12**-7-**4**-16) times in all, then in foll 12th (**10th**-8th-**6th**-6th) rows 4 (**2**-9-**16**-8) times ... 71 (**77**-83-**93**-101) sts.
SHAPE TOP - Using C4 and stocking st, cast off 3 (**4**-5-**6**-6) sts at beg of next 2 rows ... 65 (**69**-73-**81**-89) sts.
Work a further 38 rows patt as for Back, dec at each end of next and alt rows 19 times in all ... 27 (**31**-35-**43**-51) sts.
Using C1 and stocking st for rem, dec at each end of next and alt row/s until 21 (**25**-29-**41**-49) sts rem, then in every row until 15 sts rem.
Cast off.

NECKBAND

Using back-stitch, join right shoulder seam. With right side facing, using 3.25mm Needles and C1, knit up 18 (**19**-20-**21**-22) sts evenly along left side of neck, knit across sts from front stitch-holder, knit up 18 (**19**-20-**21**-22) sts evenly along right side of neck, then knit across sts from back stitch-holder ... 82 (**90**-94-**100**-104) sts.
Knit 7 rows garter st.
Cast off loosely knitways.

MAKE UP

DO NOT PRESS. Using back-stitch, join left shoulder and neckband seam. Join side and sleeve seams, matching stripes. Sew in sleeves. Fold all hems onto wrong side at foldlines and slip-stitch loosely in position.

VEE NECK SWEATER

BACK AND SLEEVES

Work as for Back and Sleeves of **Crew Neck Sweater**.

FRONT

Work as for Back of **Crew Neck Sweater** to ***.
DIVIDE FOR VEE NECK - **Next row** - Using C4 and stocking st, K2tog, K39 (**43**-47-**51**-55), **turn**.
** Cont on these 40 (**44**-48-**52**-56) sts.
Work 37 rows in stripes as for Back, dec at armhole edge in alt rows 4 (**6**-8-**9**-10) times, AT

SAME TIME dec at neck edge in alt rows 2 (**5**-5-**6**-6) times, then in foll 4th rows 8 (**6**-6-**6**-6) times ... 26 (**27**-29-**31**-34) sts.
Using C1 and stocking st for rem, dec at neck edge in 3rd (**next**-next-**3rd**-3rd) and foll 4th rows 5 (**6**-7-**7**-8) times in all.
Work 5 rows.
SHAPE SHOULDER - Cast off 7 (**7**-7-**8**-9) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 7 (**7**-8-**8**-8) sts. **
Slip next st (centre st) onto a coloured thread and leave.
Join C4 to rem sts and knit to last 2 sts, K2tog.
Rep from ** to **, working 1 row more before shoulder shaping.

NECKBAND

Using back-stitch, join right shoulder seam.
With right side facing, using 3.25mm Needles and C1, knit up 46 (**48**-50-**53**-55) sts evenly along left side of neck, K1 (centre st) from coloured thread, knit up 46 (**48**-50-**53**-55) sts evenly along right side of neck, then knit across sts from back stitch-holder ... 124 (**132**-138-**146**-152) sts.
1st row - Knit.
2nd row - Knit to within 2 sts of centre st, K2tog, K1 (centre st), K2tog, knit to end.
Rep last row 5 times ... 7 rows in all.
Cast off loosely knitways.


MAKE UP

DO NOT PRESS. Using back-stitch, join left shoulder and neckband seam. Join side and sleeve seams, matching stripes. Sew in sleeves. Fold all hems onto wrong side at foldlines and slip-stitch loosely in position.

FINISHING YOUR GARMENT

Pressing

No matter how well you have knitted your garment pieces, time spent on preparation pays rich dividends in a more professional finish.
Lay each piece, wrong side up, on a flat surface. Protect the surface of the knitting by laying an ironing sheet, or a piece of plain cotton, over a blanket padding on the flat surface. Pat each piece of the garment into shape, and pin down at intervals of about 2.5 cm all round the edges (make sure the pins are rustless). If the instructions say "Do Not Press", cover the knitting with a clean damp sheet, and leave to dry naturally.
Most wool yarns or those with a fairly high proportion of wool in them should be pressed with a warm iron over a slightly damp cloth. Press lightly-do not glide the iron. If you use a steam iron, use it dry over a damp cloth, as the steam from your iron could be too hot and may damage the fibre.
Synthetics **are** usually **not pressed at all.** Any variations in methods of pressing are mentioned in the instructions. Ribbed bands should not be pressed.



Sewing Up

Tapestry needles or knitters needles (i.e. those with blunt ends instead of sharp points) are ideal for sewing up knitted garments. Use the same yarn as that in which you knitted your garment. Certain fashion yarns are not suitable for sewing up and suitable plain yarn should be used. Seams should be sewn as instucted, in the order given. Do not start with a knot in your yarn when sewing a seam. Run the yarn along the seam edge for about 3 cm before commencing.

THE Patons HAND KNIT RATINGS HELP YOU CHOOSE THE PATTERN SUITED TO YOUR KNITTING ABILITY

One beehive says this is a beginner level of knitting. Knit and Purl stitches, casting on and off and some basic increasing and decreasing.

Two beehives mean easy knits, with knit-purl stitch patterns, simple lace patterns (no shaping in the lace), slip-stitch patterns, and cables.

Three beehives are for advanced knitters, requiring some specialised knowledge such as Fair Isle, Aran and more complicated lace patterns.

Four beehives signal a challenge knit. There can be make and lose patterns, complicated shaping, and any technique that requires a higher level of concentration.

P The letter P after any beehive grouping suggests that an additional degree of patience is required for a quality finish.

MEASUREMENTS

Always be generous with measurements when an instruction is given to a number of centimetres. Measure in centre of work, with work laid out flat, unless otherwise stated.

Always count number of rows to make sure that different parts of a garment correspond when a measurement is given in instructions.

As most patterns give more than one set of measurements, it is advisable to read through the pattern before beginning to knit. Find where your own size is in the bracket and mark that set of figures throughout the pattern. If any alterations have been made to length or width, take a note of them. A row counter helps to keep a close check. When increasing or decreasing, mark the position with a coloured thread - it makes it easier if the work has to be checked.

Join a new ball of yarn at the beginning of a row whenever possible. If the yarn covers the width of your knitted piece 4 times, you will have enough to finish a row - if not, join a new ball of yarn (the odd length can be used for sewing up). When yarn has to be joined in the middle of a row (e.g. circular knitting) it must be spliced.

KNITTING AND CROCHET ABBREVIATIONS

K=knit; **P**=purl; **sl**=slip; **psso**=pass slipped stitch(es) over; **tbl**=through back of loop(s); **ybk**=yarn back - take yarn under needle from purling position into knitting position; **yft**=yarn front - bring yarn under needle from knitting position into purling position; **yfwd**=yarn forward - bring yarn under needle, then over into knitting position again, thus making a stitch; **yon**=yarn over needle - take yarn over top of needle into knitting position, thus making a stitch; **ym**=yarn round needle - take yarn right round needle into purling position, thus making a stitch; **Ml**=Make 1 - pick up loop which lies before next stitch, place on left-hand needle and knit (or purl) into back of loop; **garter st**=every row knit; **stocking st** =1 row knit, 1 row purl; **purl fabric**=1 row purl, 1 row knit (purl side is right side).

When instructions read - "Cast off 2 sts, K2" (or similar stitches), the stitch left on the right-hand needle, after casting off, is counted as one stitch.

ch=chain; **sp**=space; **sl st**=slip stitch; **dc**=double crochet; **yoh**=yarn over hook; **htr**=half treble - pass yarn round hook, draw a loop through next stitch, draw a loop through all 3 loops on hook; **tr**=treble - pass yarn round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, then draw another loop through 2 remaining loops; **dtr**= double treble - pass yarn twice round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, then another through last 2 loops; **ttr**=triple treble - pass yarn three times round hook, draw a loop through next stitch, draw a loop through first 2 loops on hook, draw a loop through next 2 loops, another through next 2 loops, then another through last 2 loops.

alt=alternate; **beg**=begin or beginning; **cont**=continue; **dec**=decrease, decreased, decreases or decreasing; **foll**= following or follows; **inc**=increase, increased, increases or increasing; **incl**=including or inclusive; **0**=no rows, stitches or times; **patt**=pattern; **rem**=remain, remains, remainder or remaining; **rep**=repeat; **st, sts**=stitch, stitches; **tog**=together; **cm**=centimetre(s); **mm**=millimetre(s); **ins**=inches.

The first row is always the right side of the work unless otherwise stated.

JOINING IN YARN


When joining in new colours in a row, or joining in a new ball of yarn, draw new colour through last 2 loops of last st worked in previous colour thus - Work last st until 2 loops remain on hook.

1. Loop new yarn over the hook leaving an end long enough to darn in.


2. Draw the new yarn through the remaining 2 loops to complete the last st.

Diagrams show yarn being joined at the end of a row, but the method is the same at any point in your row.

1.



2.



Patons 81 Denmark St, Kew, Victoria, Australia, 3101. A.B.N 85 055 366 590
Assistline - (03) 9852 9444 or Toll Free - 1800 333 642

We have made every effort to ensure that these instructions are accurate and complete. However, we cannot be responsible for variations in individual work, human error or if yarn other than the recommended Patons yarn is used. This publication is protected by copyright.





Patons

Book 2139
ZEST 8PLY





























9 329269 004842